

**Safety Data Sheet (SDS)  
Freeze Dried Powder  
Few-wall Carbon Nanotubes**




**SECTION 1 PRODUCT IDENTIFICATION**

**PRODUCT NAME:** Freeze Dried Powder Few-wall Carbon Nanotubes – FW100, FW100X-LM3  
**OTHER/GENERIC NAMES:** FWCNT, FWNT  
**MANUFACTURER:** Chasm Advanced Materials, Inc.  
480 Neponset Street, Bldg 6  
Canton, MA 02021 USA  
Tel: +1.781.821.0443  
Fax: +1.781.821.0447  
www.chasmtek.com  
safety@chasmtek.com  
**EMERGENCY PHONE:** +1.339.502.0440  
**PRODUCT USE:** This material is intended for R&D use only under the TSCA §5(h)(3), 40 CFR 720.3(cc) and 40 CFR 720.36. Refer to section 15 for more information.

**SECTION 2 HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW:** Product is a freeze-dried powder. May cause eye, skin and respiratory tract irritation. The complete physical and toxicological properties of this material have not been fully evaluated.



Health Hazard	②	HMIS
Fire Hazard	①	
Reactivity	①	

**OSHA HAZARDS**

Irritant

**GHS CLASSIFICATION**

**EYE IRRITATION:**

Category 2A

**SPECIFIC TARGET ORGAN TOXICITY**

Single exposure, Category 3

**GHS LABEL ELEMENTS**

**PICTOGRAMS**



**SIGNAL WORD**

Warning

**HAZARD STATEMENT(S)**

H319

Causes serious eye irritation

H335

May cause respiratory irritation

## PRECAUTIONARY STATEMENT(S)

**P261** Avoid breathing dust/fume/gas/vapors/spray

**P305+P351+P338** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to. Continue Rinsing

## POTENTIAL HEALTH HAZARDS

**SKIN:** May cause skin irritation.

**EYES:** May cause eye irritation.

**INHALATION:** May cause irritation to the mucous membranes and upper respiratory tract. The product presents an increased inhalation hazard because of the small particle size.

**INGESTION:** Not a probable route of exposure. This material may be harmful if swallowed (e.g. unintentional hand-to-mouth transfer).

**DELAYED EFFECTS:** None known.

Ingredients found on one of the OSHA designated carcinogen lists are listed below.

## SECTION 3 COMPOSITION AND INFORMATION ON INGREDIENTS

<i>INGREDIENT NAME<sup>1</sup></i>	<i>CAS NUMBER</i>	<i>WEIGHT %</i>
Few-wall Carbon Nanotubes	NA	90-99.9
Impurities (including Magnesium, Silicon, Iron and Molybdenum plus their Oxides or Carbides)	Various	0.1-10

**This material is considered as hazardous under OSHA regulations.**

<sup>1</sup>Trace impurities and additional material names not listed above may also appear in Section 15 towards the end of the SDS. These materials may be listed for local "Right-To-Know" compliance and for other reasons.

## SECTION 4 FIRST AID MEASURES

**GENERAL:** Contaminated clothing should be removed and washed before reused.

**SKIN:** Wash with soap and water. Get medical attention if irritation develops or persists.

**EYES:** Flush eyes with plenty of water for at least 15 min. Get medical attention if irritation develops or persists.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if irritation develops or persists.

**INGESTION:** If person is conscious, rinse mouth with water. Do not induce vomiting unless directed to do so by a physician. Get medical attention immediately.

**ADVICE TO PHYSICIAN:** No specific advice, treat symptomatically.

## SECTION 5 FIRE FIGHTING MEASURES

### SUITABLE EXTINGUISHING MEDIA:

Water, Carbon Dioxide, Dry Chemical or Alcohol-Resistant Foam.

### DECOMPOSITION PRODUCTS:

Carbon Monoxide, Carbon Dioxide, Metal Oxides.

### UNUSUAL FIRE & EXPLOSION HAZARDS:

Airborne dust from the dried dispersion in an enclosed space and in the presence of an ignition source may constitute an explosion hazard.

Sealed container may rupture when heated.

### SPECIAL FIRE FIGHTING PRECAUTIONS/INSTRUCTIONS:

As in any fire, wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus and full protective clothing, as combustion may produce hazardous fumes.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### IN CASE OF SPILL OR OTHER RELEASE:

Use appropriate personal protection during clean up (Section 8).

Avoid inhalation of powder, fume and vapor as well as skin or eye contact. Keep unprotected personnel away.

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking.

Remove mechanically by a method that minimizes the generation of airborne dust (HEPA equipped vacuum, wet mopping, etc.).

Absorb material and place in appropriate containers for disposal. Do not allow spilled material or wash water to enter sewers, surface water, or ground water. Refer to section 13 for disposal information.

**Spills and releases may have to be reported to Federal and/or local authorities. See Section 15 regarding reporting requirements.**

## SECTION 7 HANDLING AND STORAGE

### NORMAL HANDLING:

Always wear recommended personal protective equipment.(Section 8).

Avoid formation of dust and aerosols. Keep in closed containers. Additional sealing may prevent accidental dust release. Use local exhaust or general room/dilution ventilation sufficient to maintain exposure below permissible exposure limits (29 CFR 1910.1001 for asbestos). If possible, use in a closed well-ventilated area (e.g. fume hood).

### STORAGE RECOMMENDATIONS:

Store product in closed containers, in a dry and well ventilated place, away from any possible source of ignition

## SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION<sup>5</sup>

### ENGINEERING CONTROLS:

General room ventilation is adequate for storage and ordinary handling. Use local exhaust at points of use to maintain exposure below the PEL/TLV exposure limits.

# Safety Data Sheet – Freeze Dried Few-wall Carbon Nanotubes

## EXPOSURE GUIDELINES

INGREDIENT NAME	ACGIH TLV <sup>2</sup>	OSHA PEL <sup>3</sup>	NIOSH REL
Few-wall Carbon Nanotubes	Not Available	TWA <sup>4</sup> = 5 mg/m <sup>3</sup>	TWA <sup>5</sup> = 1 µg/m <sup>3</sup> (respirable)
Insoluble Molybdenum Compounds, as Mo	TWA = 10 mg/m <sup>3</sup> (inhalable) TWA = 3 mg/m <sup>3</sup> (respirable)	TWA = 10 mg/m <sup>3</sup> (total dust)	TWA = 10 mg/m <sup>3</sup>
Magnesium Oxide Fume, as Mge	TWA = 10 mg/m <sup>3</sup> (inhalable)	TWA = 5 mg/m <sup>3</sup> (respirable) TWA = 15 mg/m <sup>3</sup> (total particulate)	None
Iron Oxide Fume, as Fe	TWA = 5 mg/m <sup>3</sup> (inhalable)	TWA = 10 mg/m <sup>3</sup>	TWA = 10 mg/m <sup>3</sup>

<sup>2</sup> Threshold Limit Values (TLV) established by the American Conference of Governmental Industrial Hygienists (ACGIH) are 8-hour TWA concentrations unless otherwise noted

<sup>3</sup> PEL values represent limits established by the 1989 Air Contaminants Rule (29 CFR 1910.1000, Subpart Z, Table Z-1-A) which was subsequently revoked on June 30, 1993. Several states continue to enforce Table Z-1-A limits

OSHA Permissible Exposure Limits (PELs) are 8-hour TWA (time-weighted average) concentrations unless otherwise noted.

<sup>4</sup> Listed as synthetic graphite standards

<sup>5</sup> DHHS (NIOSH) Publication Number 2013-145CIB 65, "Occupational Exposure to Carbon Nanotubes and Nanofibers", March 2013

## PERSONAL PROTECTIVE EQUIPMENT



### SKIN PROTECTION:

For any handling steps where the substance is in particulate form or in a suspension with pure water where the substance is not solubilized, the gloves must be comprised of material that successfully passes ASTM F-1671.

For any handling steps where the substance is part of a carrier liquid, other than the aqueous suspension noted in the previous paragraph, gloves must be comprised of material that successfully passes ASTM F-739 (continuous liquid contact method).

Gloves must be changed before they show degradation and before the designated breakthrough time for the carrier liquid (as determined by the ASTM F-739 testing or by the manufacturer).

Wear full body clothing, impervious to the product.

**EYE PROTECTION:**

Wear chemical goggles that conform to ANSI Z87.1 under normal conditions. Wear a full-face shield if there is a potential for contact with splashed material.

**RESPIRATORY PROTECTION:**

If there is potential for inhalation of dust, vapors, or aerosols wear a full-face NIOSH approved respirator with N100 cartridges or better.

The respirator must be selected based on contamination levels and use conditions found in the workplace. Use conditions must not exceed the working limits of the respirator. The respirator must be used in accordance with the OSHA respiratory protection standard (29 CFR 1910.134).

**HYGIENE MEASURES:**

Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated material immediately. Wash hands before breaks and at the end of work.

**ADDITIONAL RECOMMENDATIONS:**

Provide safety showers and eyewash stations in close proximity to the work area.

Detailed information on handling carbon nanotubes may be found at the ASTM Standard E2535-07 “Std guide for Handling Unbound Engineered Nano-Scaled Particles in Occupational Settings” [www.astm.org](http://www.astm.org)

**OTHER EXPOSURE LIMITS FOR POTENTIAL DECOMPOSITION PRODUCTS:** None.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>APPEARANCE:</b>	Black powder
<b>PHYSICAL STATE:</b>	Solid
<b>ODOR:</b>	None
<b>SPECIFIC GRAVITY (water = 1.0):</b>	0.1
<b>SOLUBILITY IN WATER (weight %):</b>	Insoluble
<b>MELTING POINT:</b>	Not determined
<b>FLASH POINT<sup>6</sup>:</b>	Not determined

<sup>6</sup>Flash point method and additional flammability data are found in Section 5

## SECTION 10 STABILITY AND REACTIVITY

**REACTIVITY/CHEMICAL STABILITY**

Normally stable.

**THERMAL DECOMPOSITION/CONDITIONS TO AVOID**

Decomposition will not occur if used and stored according to specifications.

**INCOMPATIBILITIES/MATERIALS TO AVOID:**

Strong oxidizing agents & acids, Oxygen, Halogens, Phosphorous. May react violently with phosphorous pentachloride.

**HAZARDOUS DECOMPOSITION PRODUCTS:**

Thermal decomposition products may include carbon monoxide, carbon dioxide and oxides of metallic impurities (including molybdenum, magnesium and iron).

## HAZARDOUS POLYMERIZATION:

Will not occur.

## SECTION 11 TOXICOLOGICAL INFORMATION<sup>7</sup>

**IMMEDIATE (ACUTE) EFFECTS:** No data available

**DELAYED (SUBCHRONIC AND CHRONIC) EFFECTS:** No data available

**OTHER DATA:** None

<sup>7</sup>Toxicological information on carbon nanotubes may be found at the website of International Council on Nanotechnology at <http://cohesion.rice.edu/centersandinst/icon/>.

## SECTION 12 ENVIRONMENTAL INFORMATION<sup>8</sup>

No data available

<sup>8</sup>Information on ecological harms can be found at the website of International Council on Nanotechnology at <http://cohesion.rice.edu/centersandinst/icon/>

## SECTION 13 DISPOSAL CONSIDERATIONS

### RCRA

Not classified as RCRA hazardous waste

### OTHER DISPOSAL CONSIDERATIONS:

Except for small R&D samples, disposal of this product is not allowed by federal, state and local government regulations. It must be destroyed in hazardous waste incinerator and special care should be taken not to be released in the water.

**NOTE:** The information offered here is for the product as shipped. Use and/or alterations to the product such as mixing with other materials may significantly change the characteristics of the material and alter the RCRA classification and the proper disposal method.

## SECTION 14 TRANSPORTATION INFORMATION

**US DOT HAZARD CLASS:** Not regulated.

**US DOT ID NUMBER:** Not applicable.

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

## SECTION 15 REGULATORY INFORMATION

### TOXIC SUBSTANCES CONTROL ACT (TSCA)

#### *TSCA INVENTORY STATUS:*

This material is manufactured according to the terms of TSCA consent order, for PMN P10-0005 and should not be used for commercial purposes or in formulations used for commercial purposes, unless the recipient agrees in writing to comply with the requirements of the above consent order. As an exemption, the product can be further distributed only after it has been reacted, incorporated into an article or otherwise rendered into a physical form or state.

# Safety Data Sheet – Freeze Dried Few-wall Carbon Nanotubes

As a TSCA-exempt R&D substance, this product must be used by or directly under the supervision of technically qualified individual(s) as defined by TSCA, solely for R&D.

For additional information on TSCA status, contact the information number found on Section 1.

**OTHER TSCA ISSUES:** None.

## DSL STATUS

This product contains the following components that are not on the Canadian DSL nor NDSL lists

<i>INGREDIENT NAME</i>	<i>CAS-NO.</i>
Carbon Nanotubes.	NA

## SARA TITLE III/CERCLA

**SECTION 302 COMPONENTS:** No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302

**SECTION 311/312 HAZARD CLASS:** Immediate (Acute)

**SECTION 313 COMPONENTS:** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, section 313.

## STATE RIGHT-TO-KNOW

<i>INGREDIENT NAME</i>	<i>CAS-NO.</i>	<i>STATE</i>
Carbon Nanotubes.	NA	Pennsylvania, New Jersey
Magnesium Oxide	1309-48-4	Massachusetts, Pennsylvania, New Jersey

## ADDITIONAL REGULATORY INFORMATION

### **WHMIS CLASSIFICATION (CANADA):**

Not determined.

### **FOREIGN INVENTORY STATUS:**

All components of this product are listed on the following inventories:

Australian (AICS)	Canadian (DSL)
Chinese (IECSC)	European (EINECS)
Japanese (ENCS)	Korean (KECI)

## SECTION 16 OTHER INFORMATION

**CURRENT ISSUE DATE:** November 30, 2016

**PREVIOUS ISSUE DATE:** April 22, 2016

### **CHANGES TO SDS FROM PREVIOUS ISSUE DATE ARE DUE TO THE FOLLOWING:**

November 30, 2016: Removed "X" listing for FW100 product, updated logo and renamed document

February 3, 2015: Updated logo and manufacturer information

### **OTHER INFORMATION:**

None.

**DISCLAIMER:**

THE INFORMATION HEREIN IS PROVIDED IN GOOD FAITH, AND IS BELIEVED TO BE ACCURATE. NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION. FURTHERMORE, CHASM ADVANCED MATERIALS MAKES NO REPRESENTATION OR WARRANTY THAT THE SAMPLE IS FIT FOR ANY PARTICULAR PURPOSE AND CHASM ADVANCED MATERIALS EXPRESSLY DISCLAIMS ANY WARRANTY OF MERCHANTABILITY. THIS DOCUMENT IS INTENDED ONLY AS A PRECAUTIONARY GUIDE FOR THE APPROPRIATE HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, WHO MUST EXERCISE INDEPENDENT JUDGMENT IN DETERMINING HANDLING OF THIS PRODUCT AND THE APPROPRIATENESS OF THIS PRODUCT FOR ANY PURPOSE. CHASM ADVANCED MATERIALS SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES OR FOR DAMAGE TO PERSONS OR PROPERTY RESULTING FROM ITS USE. NOTHING HEREIN SHALL BE CONSTRUED AS A RECOMMENDATION FOR USE IN VIOLATION OF ANY PATENT.

**CAUTION! POTENTIAL HAZARDS OF THIS EXPERIMENTAL PRODUCT ARE UNKNOWN.**

MANUFACTURED UNDER U.S. PATENT NOS. #6,333,016, #6,413,487, #6,955,800 AS WELL AS OTHER PENDING PATENT APPLICATIONS IN THE U.S. AND AROUND THE WORLD.